EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S72	2	((calibrat$3 adjust$3 compar$3) near2 filter $3) and (mass with (spectral spectromter $3) with instrument) and ((calibrat$3 adjust $3 compar$3) near2 ion) and isotop$2 and (((measur$6 calulat$3) with isotope with peak) same (mass with spectral with range)) and ((calculat $3 measur$6) with isotope) and (isotope with abundances) and (mass with spectral with peak with shape) and (convolution with operat$3) and (deconvolution with operat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 23:11
S73	2	("702"/$.ccls. "250"/$. ccls. "435"/$.ccls. "324"/$.ccls.) and ((calibrat$3 adjust$3 compar$3) near2 filter $3) and (mass with (spectral spectromter $3) with instrument) and ((calibrat$3 adjust $3 compar$3) near2 ion) and isotop$2 and (((measur$6 calulat$3) with isotope with peak) same (mass with spectral with range)) and ((calculat $3 measur$6) with isotope) and (isotope with abundances) and (mass with spectral with peak with shape) and (convolution with operat$3) and (deconvolution with operat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 23:34

| S75 | 1 | ("702"/$.ccls. "250"/$.ccls. "435"/$.ccls. "324"/$.ccls.) and (((calibrat$3 adjust$3 compar$3) near2 filter $3) and (mass with (spectral spectromter $3) with instrument) and ((calibrat$3 adjust $3 compar$3) near2 ion) and isotop$2 and (((measur$6 calulat$3) with isotope with peak) same (mass with spectral with range)) and ((calculat $3 measur$6) with isotope) and (isotope with abundances) and (mass with spectral with peak with shape) and (convolution with operat$3) and (deconvolution with operat$3)).clm. | US-PGPUB | OR | ON | 2008/09/25 23:35 |
| S74 | 1 | ("702"/$.ccls. "250"/$.ccls. "435"/$.ccls. "324"/$.ccls.) and (((calibrat$3 adjust$3 compar$3) near2 filter $3) and (mass with (spectral spectromter $3) with instrument) and ((calibrat$3 adjust $3 compar$3) near2 ion) and isotop$2 and (((measur$6 calulat$3) with isotope with peak) same (mass with spectral with range)) and ((calculat $3 measur$6) with isotope) and (isotope with abundances) and (mass with spectral with peak with shape) and (convolution with operat$3) and (deconvolution with operat$3)).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 23:35 |

S76	2	("702"/$.ccls. "250"/$. ccls. "435"/$.ccls. "324"/$.ccls.) and ((calibrat$3 adjust$3 compar$3) near2 filter $3) and ((filter$3 with matrix) same (mass with spectral with data)) and ((calibrat$3 adjust$3 compar$3) near2 ion) and (((measur$6 calulat$3) with isotope with peak) same (mass with spectral with range)) and ((calculat $3 measur$6) with isotope) and (isotope with abundances) and (mass with spectral with peak with shape) and (convolution with operat$3) and (deconvolution with operat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/25 23:57
S79	1	("702"/$.ccls. "250"/$. ccls. "435"/$.ccls. "324"/$.ccls.) and (((calibrat$3 adjust$3 compar$3) near2 filter $3) and ((filter$3 with matrix) same (mass with spectral with data)) and ((calibrat$3 adjust$3 compar$3) near2 ion) and (((measur$6 calulat$3) with isotope with peak) same (mass with spectral with range)) and ((calculat $3 measur$6) with isotope) and (isotope with abundances) and (mass with spectral with peak with shape) and (convolution with operat$3) and (deconvolution with operat$3)).clm.	US-PGPUB	OR	ON	2008/09/25 23:58

| S78 | 1 | ("702"/$.ccls. "250"/$.ccls. "435"/$.ccls. "324"/$.ccls.) and (((calibrat$3 adjust$3 compar$3) near2 filter $3) and ((filter$3 with matrix) same (mass with spectral with data)) and ((calibrat$3 adjust$3 compar$3) near2 ion) and (((measur$6 calulat$3) with isotope with peak) same (mass with spectral with range)) and ((calculat $3 measur$6) with isotope) and (isotope with abundances) and (mass with spectral with peak with shape) and (convolution with operat$3) and (deconvolution with operat$3)).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 23:58 |
| S77 | 1 | ("702"/$.ccls. "250"/$.ccls. "435"/$.ccls. "324"/$.ccls.) and ((calibrat$3 adjust$3 compar$3) near2 filter $3) and ((filter$3 with matrix) same (mass with spectral with data)) and ((calibrat$3 adjust$3 compar$3) near2 ion) and (((measur$6 calulat$3) with isotope with peak) same (mass with spectral with range)) and ((calculat $3 measur$6) with isotope) and (isotope with abundances) and (mass with spectral with peak with shape) and (convolution with operat$3) and (deconvolution with operat$3) | US-PGPUB | OR | ON | 2008/09/25 23:58 |

L1	10	("20030218129" | "20040024552" | "5206174" | "5303165" | "5545895" | "6049762" | "6188064" | "6373052" | "6519543" | "6629040").PN.	US-PGPUB; USPAT	OR	ON	2008/09/26 04:04
L3	0	1 and ((calibrat$3 adjust$3 compar$3) near2 filter$3) and (mass with (spectral spectromter$3) with instrument) and ((calibrat$3 adjust$3 compar$3) near2 ion) and isotop$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/26 04:05
L2	0	1 and ((calibrat$3 adjust$3 compar$3) near2 filter$3) and (mass with (spectral spectromter$3) with instrument) and ((calibrat$3 adjust$3 compar$3) near2 ion) and isotop$2 and (((measur$6 calulat$3) with isotope with peak) same (mass with spectral with range)) and ((calculat$3 measur$6) with isotope) and (isotope with abundances) and (mass with spectral with peak with shape) and (convolution with operat$3) and (deconvolution with operat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/26 04:05
L4	0	1 and (((measur$6 calulat$3) with isotope with peak) same (mass with spectral with range)) and ((calculat$3 measur$6) with isotope)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/26 04:06

L6	0	1 and ((calibrat$3 adjust$3 compar$3) near2 filter$3) and (mass with (spectral spectromter$3) with instrument) and (mass with spectral with peak with shape)and (convolution with operat$3) and (deconvolution with operat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/26 04:07
L5	0	1 and ((calibrat$3 adjust$3 compar$3) near2 filter$3) and (mass with (spectral spectromter$3) with instrument) and (isotope with abundances) and (mass with spectral with peak with shape) and (convolution with operat$3) and (deconvolution with operat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/26 04:07

9/26/2008 4:09:36 AM
C:\ Documents and Settings\ jle\ My Documents\ EAST\ Workspaces\ 10576564.wsp